WEST

Generate Collection

Search Results - Record(s) 1 through 8 of 8 returned

1. Document ID: US 6258276 B1

L4: Entry 1 of 8

File: USPT

Jul 10, 2 1

US-PAT-NO: 6258276

DOCUMENT-IDENTIFIER: US 6258276 B1

TITLE: Microporous membranes and uses thereof

DATE-ISSUED: July 10, 2001

INVENTOR-INFORMATION:

NAME

NAME

Mika; Alicja M.

Childs; Ronald F.

Dickson; James M.

CITY

STATE ZIP CODE

COUNTRY

CAX

CAX

CAX

CAX

US-CL-CURRENT: 210/638; 210/641, 210/651, 210/654

Full Title Citation Front Review Classification Date Reference Claims KMC Draw Desc Image

2. Document ID: US 6120689 A

L4: Entry 2 of 8

File: USPT

Sep 19, 2000

US-FAT-NO: 6120689

DOCUMENT-IDENTIFIER: US 6126639 A

TITLE: High rurity water using triple pass reverse csmosis (TPRO)

DATE-ISSUED: September 19, 2000

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Tonelli; Anthony A. Burlington CAX
Deutschmann; Ake Burlington CAX
Wesno; Susan L Burlington CAX

US-CL-CURRENT: $210/\underline{652}$; $210/\underline{180}$, $210/\underline{641}$, $210/\underline{740}$, $210/\underline{746}$, $210/\underline{85}$, $210/\underline{96.2}$, 95/51

Full Title Citation Front Review Classification Date Reference Claims KWC Draw Desc Image

3. Document ID: US 5997745 A

14: Entry 3 of 8

File: USPT

Der 7, 1944

. US-PAT-NO: 5497745

DOCUMENT-IDENTIFIER US 5997745 A

TITLE: Method for producing high purity water using triple pass reverse osmosis

TPRO

DATE-ISSUED: December 7, 1999

INVENTOR-INFORMATION: STATET STATE ZIP CODE CITY . A.V. NAME Burlington Tonelli; Anthony A CAX Burlington Deutschmann; Ake JAX Burlington Wesno; Susan L

US-CL-CURRENT: 210/652; 210/180, 210/195.2, 210/639, 210/746, 210/65, 217/86.2. <u>95, 51</u>

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KMC | Draw Desc | Image |

4. Document ID: US 5925255 A

File: USPT L4: Entry 4 of 8

Jul 21, 1998

US-PAT-ND: 5925255

DOCUMENT-IDENTIFIEF: US 5925255 A

TITLE: Method and apparatus for high efficiency reverse osmosis operation

DATE-ISSUED: July 20, 1999

STATE ZIP CODE COUNTRY INVENTOR-INFORMATION: CITY NAME

Palo Alto CA 94306 Mukhopadhyay; Debasish

US-CL-CURRENT: 210/652; 210/638, 210/651, 210/661, 210/663

KMC Draw. Desc Image Full | Title | Citation | Front | Review | Classification | Date | Reference |

5. Document ID: US 5858240 A

Jan 12, 1999 File: USPT L4: Entry 5 of 8

US-FAT-NO: 5858240

DOCUMENT-ILENTIFIER: US 5858240 A

TITLE: Nancfiltration of concentrated aqueous salt solutions

DATE-IBCUSE: January 12, 1999

COUNTRY INVENTOR-INFORMATION: CITY STATE Z19 CODE CAX NAME Burnaby Twardowski; Zbigniew CAY Richmond Ulan; Judith 3.

US-CL-CUERENT: 210/652; 210/639, 210/641, 210/651, 210/653, 210/805

Full Title Citation Front Review Classification Date Reference

KVMC Draw Desc Image

_____ 6. Document ID: US 5458781 A

14: Entry 6 of 8

File: USFT

Sat 17, 17 f

MS-PAT-NO: 5458781

DOCUMENT-IDENTIFIER: US 5458781 A

TITLE: Bromide separation and concentration using semipermeable membranes

DATE-ISSUED: October 17, 1995

INVENTOR-INFORMATION:

CITY NAME

STATE ZIP CODE COUNTRY

Lir.; Kaung-Far

Baton Rouge LA

US-CL-CURRENT: 210/651; 210/641, 210/652, 423/504

Full Title Citation Front Review Classification Date Reference

KWIC Draw Desc Image

7. Document ID: US 5158683 A

L4. Entry 7 of 8

File: USPT

Oct 27, 1992

US-FAT-NO: 5158683

DOCUMENT-IDENTIFIER: US 5158683 A

TITLE: Bromide separation and concentration using semipermeable membranes

DATE-ISSUED: October 27, 1992

INVENTOR-INFORMATION:

NAME

CITY STATE ZIP CODE COUNTRY

Lin; Kaung Far Baton Rouge

LA

US-CL-CURRENT: 210/651; 210/652, 423/504

Full Title Citation Front Review Classification Date Reference

KWIC Draw Desc Image

8. Document ID: US 4927540 A

L4: Entry 8 of 8

File: USPT

May 22, 1990

. US-PAT-NO: 4927541 DOCUMENT-IDENTIFIER: US 4927541 A

TITLE: Ionic complex for enhancing performance of water treatment membranes

DATE-ISSUED: May 22, 1990

INVENTOR-INFORMATION:

NAME

Messling; Ritchie A. Whipple; Sharon S. Fibiger; Richard F.

STATE ZIF COLE COUNTRY CITY

MI Midland ΜI Sanford

MI Midland

US-CL-CURRENT: <u>210 838; 210 490, 210 500.27, 210 500.34, 210 500.37, 220 Elect</u>

<u>211, €54</u>

Full Title Citation Front Review Classification Date Reference

KVMC Drawl Desc Image

Generate Collection

Terms

Documents

11 and nanofiltration and polyamide and charge

8

Display

Documents, starting with Document: 6

Display Format: CIT

Change Format

Generate Collection

La: Entry 1 of 4

File: USPT

201 1 , 2 1

DOCUMENT-IDENTIFIER. US 6258276 B1 TITLE: Microporous memoranes and uses thereof

BSFR:

Membranes are used, for instance, in separation processes as selective barrier. that allow certain chemical species to pass, i.e., the permeate, while retaining other chemical species, i.e., the retentate. Membranes are used in many applications, for example as biosensors, heparinized surfaces, facilitated transport membranes utilizing grown ethers and other carriers, targeted drug delivery systems including membrane-hound antigens, catalyst-containing membranes, treated surfaces, snarpened resolution chromatographic packing materials, narrow band optical absorbers, and in various water treatments which involve removal of a solute or contaminant, for example, dialysis, electrodialysis, microfiltration, ultrafiltration, reverse osmosis, nanofiltration and in electrolysis and in fuel cells and batteries.

DEPE:

Microporcus polygropylene or polyethylene membranes which have in situ polymerized vinylpyridine and which are cross-linked with about 0 25 to about 1 wt % by weight of the total monomers by divinylbenzene are particularly useful in pressure driven water treatment, i.e. reverse osmosis or nanofiltration cations in preference to monovalent reject multivalent cations in preference to monivalent dations. By varying the degree of properties of the cross-linking, the memorane may be modified to be specific for specific applications. Such membranes are considered novel and constitute one aspect of the invention.

The rejection of salts containing monovalent dations, for example, Na.sup.+, is subsequentially lower than rejection of salts with multivalent cations, for example, Mg.sup.2+, Ca.sup.2+. Charged organic materials, such as organic acids and salts, also are rejected by the rembranes, while relatively large non-ionic organic molecules, such as sucrose, have low rejections by the membranes. The ability of the membranes to function at such ultra-lcw pressures and their distinctive pattern of separations distinguishes the membranes from other commercially-available nanofiltration or reverse osmosis membranes, which function only effectively at higher pressures.

Existing commercial membranes used for water softening are limited by an excessive and indiscriminate rejection of all dissolved species and this is particularly true with thin-film composite membranes, commercial examples being low-pressure nanofiltration membranes available from FilmTec and Fluid Systems. Other nanofiltration membranes which have been developed specifically for removal of organic materials from water, generally humic acid derivatives, exhibit a low removal or ions, including calcium. The recommended operating pressures for commercially available low pressure nanofiltration membranes are higher than those found to be sufficient for the invented membranes

Charged membranes are used in a wide variety of electrochemical applications including electrodialysis, electrolysis, fuel cells and battery separators. A key teature of membranes for these applications are high ion-exchange capacities, water transport, low electrical resistance, and good selectivity in terms of the transport of ions of different charge type (cations versus anions).

DETL:

TABLE I Charácteristics of thin-tilm composite <u>in maintilliais</u>. First . Rated Ferneability Operating Flux at Rated L m. sup.D n. Kia Fressure Kia Frencus Rated Percentility Operating Flux at Rated L wisup.2 in KPA Pressite KPA Pressure L misup.2 higher square Material psig gpd sq ft psig MFD San Diego, CA.

TABLE I Characteristics of thin-film composite <u>TFC</u> nanofiltration membranes Rated Permeability Operating Flux at Rated Lym.sup.2 h kPa Pressure kPa Pressure Rated Permeanility Operating Flux at Rated L/m.sup.2 n KPa Pressure KPa Pressure L/m.sup.2 n (gpd/sq ft Membrane Material /psig gpd sq ft psig NFT1.sup. 1 modified 483 (70: 37 %22 %0.118 %0.48 aromatic polyamide TF0S.sup. 2 modified 522 %80% 26 %15 %0.49 %0.20% aromatic polyamide NTR7450.sup. 3 sulfonated Atc 143 93 %5% 0.106 %0.43 polyether sulfone NTR741% sup. 3 sulfonated Atc 14% 29% 0.185 %0.75 polyether sulfone .sup. 1 FilmTe0, Minneapolis, Minne 49% 29% 0.185 %0.75 polyether sulfone .sup. 1 FilmTe0, Minneapolis, Minne .sup. (2% Fluid Systems, San Diego, CA. .sup. 3 Nitto Denko from Hydranautics, San Diego CA San Diego, CA.

WEST

Generate Collection

Search Results - Record(s) 1 through 6 of 6 returned

1. Document ID: US 6258276 B1

La: Entry 1 of 6

File: USPT

US-FAT-NO: 6258276

DOCUMENT-IDENTIFIER: US 6258276 B1

TITLE: Microporous membranes and uses thereof

DATE-ISSUED: July 10, 2001

INVENTOR-INFORMATION:

NAME

CITY Hamilton STATE ZIP CODE

COUNTRY

Mika; Alicja M. Childs; Ronald F.

Dundas

XAC XAC

Dickson; James M.

Hamilton

CAX

US-CL-CURRENT: 210/638; 210/641, 210/651, 210/654

Full Title Citation Front Review Classification Date Reference

KMC Draw Desc Image

2. Document ID: US 5858240 A

L8: Entry 2 of 6

File: USPT

Jan 12, 1999

US-FAT-NO: 5858240

DOCUMENT-ITENTIFIER: US 5858240 A

TITLE: Nanofiltration of concentrated aqueous salt solutions

DATE-ISSUED: January 12, 1999

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Twardcwski; Zbigniew

Burnaby

CAX

Ulan; Judith G.

Richmond

CAX

US-GL-CURRENT: 210/652; 210/639, 210/641, 210/651, 210/653, 210/805

Full Title Citation Front Review Classification Date Reference

KWMC | Draw Desc | Image |

3. Document ID: US 5587083 A

18: Entry 3 of 6

File: USPT

Sec 24, 1999

• TS-PAT-NO: 5587083

popument-IDENTIFIER: US 5547043 A

TITLE: Nanofiltration of concentrated aqueous salt solutions

DATE-ISSUED. December 24, 1996

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIF CODE

2011751

Twardowski, Zbigniew

Burnaby

:'AX

US-CL-CURRENT: <u>210</u> <u>652</u>; <u>210</u> <u>651</u>, <u>210</u> <u>653</u>

Full Title Citation Front Review Classification Date Reference

KMC Draw Desc Image

4. Document ID: US 5522995 A

L8 Entry 4 of 6

File: USPT

Jun 4, 1988

US FAT-NO: 5522995

DOCUMENT-ICENTIFIER: US 5522995 A

TITLE: Process for recovering organic acids from aqueous salt solutions

DATE-ISSUED: June 4, 1996

INVENTOR-INFORMATION:

NAME

CITY STATE ZIP CODE COUNTRY

Cockrem; Michael C. M.

Madison WI 53705

US-CL-CURRENT: 210/637; 213/259, 210/654

Full Title Citation Front Review Classification Date Reference

KWIC Draw Desc Image

5. Document ID: US 5147553 A

LF: Entry 5 of 6

File: USPT

Sep 15, 1992

US-FAT-NO: 5147553

DOCUMENT-IDENTIFIER: US 5147553 A

TITLE: Selectively permeable barriers

DATE-ISSUED: September 15, 1992

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODF COUNTRY

Waite, Walten A.

Borlington MA

US-CL-CURRENT: 210/654; 210/490, 210/500.34, 427/245

Full Title Citation Front Review Classification Date Reference

KWIC Draw Desc Image

• Document ID US 5118424 A

Le: Entry & of &

File: USIT

US PAT-NO: 5118424 DOCUMENT-IDENTIFIER: US 5118424 A

TITLE: Thin film composite membranes from vinyl and related nonumers

DATE-ISSUED: June 2, 1992

INVENTOR-INFORMATION:

NAME

CITY STATE ZIP CODE COUNTRY

Julius and a second

CHX

McRae; Wayne A.

Zurich

US-CL-CURRENT: 210 653; 210/490, 210 500.27, 210 500.25, 210 500.42, 210/500.42, 210/654, 264 45.1

Full Title Citation Front Review Classification Date Reference

KWIC Draw Desc Image

Generate Collection

Documents Terms 17 and charge

Display 10 Documents, starting with Document 6

Display Format: CIT Change Format

- Income	Help Lo	ogout Interru	int	
	ricip	gout		
Main Menu Search Form	Posting Counts	Show S Numbers	Edit S Numbers	Preferences

Search Results -

Terms	Documents		
17 and charge	6		

US Patents Full-Text Database

US Pre-Grant Publication Full-Text Database

JPO Abstracts Database **EPO** Abstracts Database **Derwent World Patents Index**

Database: IBM Technical Disclosure Bulletins

		17	and	charge				
anno e	Refine Search:				 F))	Clear	
				name of definite the name of the last of t	a and republic to glade his to higher 4 his			

Search History

Today's Date: 1/9/2002

DB Name	Quer <u>y</u>	Hit Count	Set Name
	17 and charge	6	<u>L8</u>
USPT		11	<u>L7</u>
USPT	ló and polyamide		
USPT	nanofiltration and tfc	14	<u>L6</u>
USPT	14 and nf	5	<u>L5</u>
	11 and nanofiltration and polyamide and charge	8	<u>L4</u>
	11 and nanofiltration and tfc	4	<u>L3</u>
USPT		12	<u>L2</u>
U'SPT	11 and hirose		<u> </u>
USPT	210/638	1939	<u>L1</u>